MONTEREY COUNTY ZONING ADMINISTRATOR

Meeting: June 13, 2013 Time: 1:40 P.M	Agenda Item No.: 2	
Project Description: Consider Combined De	evelopment Permit consisting of: 1) an	
Administrative Permit to allow the construction of a new 4.481 square foot one-story single family		
dwelling with an 855 square foot detached garage and 600 square foot detached guest house;		
grading of approximately 2.350 cubic yards of cut and 2,350 cubic yard of fill to be balanced on		
site: 2) a Use Permit to allow development on slopes in excess of 30%; and 3) Design Approval.		
The property is located at 2 Refugio Trace, Carmel (Assessor's Parcel Number 239-091-081-000),		
Santa Lucia Preserve, Greater Monterey Peninsula Area Plan.		
Project Location: 2 Refugio Trace, Carmel	APN: 239-091-081-000	
Planning File Number: PLN120822	Owner: Gerber, James L and Linnea H.	
	TRS	
Planning Area: Greater Monterey Peninsula Area	Flagged and staked: Yes	
Dlan		
Zoning Designation: "RC/40-D-S" [Resource Conservation/40 acre minimum-Design Control-		
Site Plan Review]		
CEQA Action: Categorically Exempt per Section 15303 (a) and (e)		
Department: RMA - Planning Department		

RECOMMENDATION:

Staff recommends that the Zoning Administrator adopt a resolution (Exhibit B) to:

- 1) Find the project Categorically Exempt per Section 15303 (a) and (e); and
- 2) Approve PLN120822, based on the findings and evidence and subject to the conditions of approval (Exhibit B).

PROJECT OVERVIEW:

This is an application for a new 4,481 square foot one-story single family dwelling with an 855 square foot detached garage and 600 square foot detached guest house located in the Santa Lucia Preserve. Residential development is permitted on the portions of the Santa Lucia Preserve (formerly Rancho San Carlos) within the Greater Monterey Peninsula Planning Area, as specified in Board Resolution No. 93-115, "Comprehensive Planned Use" Overlay for the Rancho San Carlos and the Comprehensive Development Plan for the Santa Lucia Preserve. All lots were created with a homeland boundary and the remaining portions of the lots were designated as open lands. Proposed development on this parcel is within the homeland boundary and meets the policies.

A Use Permit is required for development on slopes in excess of 30% in order to gain access to the home site. The driveway must cross a drainage swale that contains 30% slopes. The existing crossing and culvert is not wide enough to accommodate fire department access. Therefore, a new driveway needs to cross this swale, and grading must occur on 30% slopes to access the homeland area. The proposed grading of approximately 2,350 cubic yards of cut and 2,350 cubic yards of fill will be used to balance to driveway alignment.

There are no unresolved issues.

OTHER AGENCY INVOLVEMENT: The following agencies and departments reviewed this project:

- √ RMA Public Works Department
- √ Environmental Health Bureau

- Water Resources Agency
- Monterey County Regional Fire District

Agencies that submitted comments are noted with a check mark (" $\sqrt{}$ "). Conditions recommended by RMA Planning, RMA Public Works, Environmental Health Bureau, Water Resources Agency and Monterey County Regional Fire District have been incorporated into the Condition Compliance/Mitigation Monitoring and Reporting Plan attached to the draft resolution (Exhibit

The project was not referred to the Greater Monterey Peninsula Area Land Use Advisory Committee (LUAC) for review. Based on the LUAC Procedure guidelines adopted by the Monterey County Board of Supervisors per Resolution No. 08-338, this application did not warrant referral to the LUAC because there is no LUAC for this area. The Santa Lucia Preserve has specific design guidelines that the proposed project was required to meet.

Note: The decision on this project is appealable to the Board of Supervisors.

Elizabeth Gonzales

Associate Planner

(831) 755-5102, gonzaleskáco.monterey.ca.us

May 29, 2013.

cc: Front Counter Copy; Zoning Administrator; Monterey County Regional Fire District; RMA-Public Works Department; Environmental Health Bureau; Water Resources Agency; Wanda Hickman, Planning Services Manager; Bob Schubert, Senior Planner; Elizabeth Gonzales, Project Planner; Gerber James L. and Linnea H. TRS, Owners; The Open Monterey Project; LandWatch; Planning File PLN120822

Attachments: Exhibit A

Project Data Sheet

Exhibit B

Draft Resolution, including:

Conditions of Approval

Site Plan, Floor Plan and Elevations

Exhibit C

Vicinity Map

This report was reviewed by Bob Schubert, Senior Planner

EXHIBIT B DRAFT RESOLUTION

Before the Zoning Administrator in and for the County of Monterey, State of California

In the matter of the application of:

GERBER JAMES L. AND LINNEA H. TRS (PLN120822)
RESOLUTION NO. ----

Resolution by the Monterey County Hearing Body:

- 1) Finding the project Categorically Exempt per Section 15303 (a) and (e); and
- 2) Approving Combined Development Permit consisting of: 1) an Administrative Permit to allow the construction of a new 4,481 square foot one-story single family dwelling with an 855 square foot detached garage and 600 square foot detached guest house; grading of approximately 2,350 cubic yards of cut and 2,350 cubic yard of fill to be balanced on site; 2) a Use Permit to allow development on slopes in excess of 30%; and 3) Design Approval.

[PLN120822, Gerber James L. and Linnea H. TRS, 2 Refugio Trace, Carmel, Greater Monterey Peninsula Area Plan (APN: 239-091-081-000)]

The Combined Development Permit application (PLN120822) came on for public hearing before the Monterey County Zoning Administrator on June 27, 2013. Having considered all the written and documentary evidence, the administrative record, the staff report, oral testimony, and other evidence presented, the Zoning Administrator finds and decides as follows:

FINDINGS

1. **FINDING:**

CONSISTENCY – The Project, as conditioned, is consistent with the applicable plans and policies which designate this area as appropriate

for development.

EVIDENCE:

- During the course of review of this application, the project has been reviewed for consistency with the text, policies, and regulations in:
 - the 2010 Monterey County General Plan;
 - Greater Monterey Peninsula Area Plan;
 - Monterey County Zoning Ordinance (Title 21); and
 Santa Lucia Preserve Comprehensive Development Plan.

No conflicts were found to exist. No communications were received during the course of review of the project indicating any inconsistencies

with the text, policies, and regulations in these documents.

b) The property is located at 2 Refugio Trace, Carmel (Assessor's Parcel Number 239-091-081-000), Greater Monterey Peninsula Area Plan.

The parcel is zoned Resource Conservation, 40 acre minimum parcel size, with Design Control and Site Plan Review Overlay Districts, or "RC/40-D-S", which allows for residential development while still protecting the natural resources on the site, subject to an Administrative Permit and Design Approval. Additional Design guidelines were required as part of the Santa Lucia Comprehensive Development Plan. Therefore, the project is an allowed land use for this site.

- c) The project planner conducted a site inspection on January 22, 2013 to verify that the project on the subject parcel conforms to the plans listed above.
- d) The project is consistent with the following 2010 Monterey County general Plan policies:

Land Use Element LU-1.7 requires clustering of residential development to those portions of the property which are most suitable for the development and where appropriate infrastructure to support that development exists or can be provided shall be strongly encouraged. The development consists of a single family dwelling with attached garage and a guesthouse. The structures are located within the designated homeland boundary. The Santa Lucia Preserve requires that all development be located within the homeland boundary to preserve natural resources.

Land Use Element LU-1.3 requires that all exterior lighting shall be unobtrusive and constructed or located so that only the intended area is illuminated, long range visibility is reduced of the lighting source, and off-site glare is fully controlled. A standard condition of approval has been applied to the project to require that exterior lighting be unobtrusive, down-lit, and shielded with no off-site glare. (Condition #7)

Greater Monterey Peninsula Area Plan GMP-1.4 states that development proposals shall include compatible open space uses located between other developed areas in order to maintain a rural atmosphere and to protect scenic resources. The Santa Lucia Preserve requires that all development be located within the designated homeland boundaries. All development proposed is within the homeland boundary and the remaining portions of the parcel are designated as open lands. Greater Monterey Peninsula Area Plan GMP-1.6 – Special Treatment Area: Rancho San Carlos Residential development is permitted on the portions of the Santa Lucia Preserve (formerly Rancho San Carlos) within the Greater Monterey Peninsula Planning Area, and shall follow densities and policies specified in Board of Supervisor Resolution No. 93-115, "Comprehensive Planned Use" Overlay for the Rancho San Carlos and the Comprehensive Development Plan for the Santa Lucia Preserve. The proposed development consists of the first single family residence and is also designed within the Comprehensive Development Plan as being allowed a guesthouse on the subject parcel.

e) <u>Design Approval</u> Pursuant to Chapter 21.44, the proposed project is located within a Design Control District that regulates the location, size, configuration, materials, and colors of new structures to assure the protection of the public viewshed and neighborhood character. The residence, guesthouse, and site improvements are constructed within the

homeland boundary to reduce the amount of disturbance to the land. Colors and materials will consist of traditional Coastal California architecture with natural stone and neutral colored plaster walls, clay barrel tile roofs, and redwood trellises.

- f) Site Plan Review Pursuant to Chapter 21.45, an Administrative Permit is required for projects located in a Site Plan Review zoning district. The district regulates the review of development in those areas of the County where development by reason of its location has the potential to adversely affect or be adversely affected by natural resources or site constraints. The proposed development is located within the designated homeland boundary. However, the proposed project will require development on slopes in excess of 30% for access onto the homeland boundary that is unavoidable.
- Pursuant to 21.64.230, all development on slopes in excess of 30 percent requires a Use Permit provided there is no feasible alternative which would allow development to occur on slopes on less than 30 percent. There is no other alternative for the project to develop on slopes in excess of 30 percent and therefore, requires a Use Permit. (See Finding #6).
- h) Potential impacts to archaeological, geological and biological were analyzed in the certified final EIR No. 94-005 for the Santa Lucia Preserve. An updated Biological Evaluation was conducted to determine if there were any changed circumstances or new information relevant to biological resources for this parcel that were not evaluated within the EIR. It was determined that there were no additional impacts and no new mitigation is required.
- i) The project was not referred to the Greater Monterey Peninsula Area Land Use Advisory Committee (LUAC) for review. Based on the LUAC Procedure guidelines adopted by the Monterey County Board of Supervisors per Resolution No. 08-338, this application did not warrant referral to the LUAC because there is no LUAC for this area. The Santa Lucia Preserve has specific design guidelines that the proposed project was required to meet.
- j) The application, project plans, and related support materials submitted by the project applicant to the Monterey County RMA - Planning Department for the proposed development found in Project File PLN120822.

2. **FINDING**:

SITE SUITABILITY – The site is physically suitable for the use proposed.

EVIDENCE:

- a) The project has been reviewed for site suitability by the following departments and agencies: RMA Planning Department, Monterey Regional Fire District, Public Works, Environmental Health Bureau, and Water Resources Agency. There has been no indication from these departments/agencies that the site is not suitable for the proposed development. Conditions recommended have been incorporated.
- b) The project was designed to avoid any potential impacts to natural and visual resources and was flagged and staked. The project is consistent with the County land use policies and zoning code. The following reports have been prepared:

- "Santa Lucia Preserve Lot 178 Updated Biological Assessment" (LIB130087) prepared by Denise Duffy & Associates, Monterey CA, February 2013;
- "Geotechnical Report for 239-091-081-000" (LIB120088) prepared by Grice Engineering, Salinas CA, July 2012

The above-mentioned technical reports by outside consultants indicated that there are no physical or environmental constraints that would indicate that the site is not suitable for the use proposed. County staff has independently reviewed these reports and concurs with their conclusions.

- c) Staff conducted a site inspection on January 22, 2013 to verify that the site is suitable for this use.
- d) The application, project plans, and related support materials submitted by the project applicant to the Monterey County RMA - Planning Department for the proposed development found in Project File PLN120822.

3. **FINDING:**

HEALTH AND SAFETY - The establishment, maintenance, or operation of the project applied for will not under the circumstances of this particular case be detrimental to the health, safety, peace, morals, comfort, and general welfare of persons residing or working in the neighborhood of such proposed use, or be detrimental or injurious to property and improvements in the neighborhood or to the general welfare of the County.

EVIDENCE:

- a) The project was reviewed by the RMA Planning Department, Monterey Regional Fire District, Public Works, Environmental Health Bureau, and Water Resources Agency. The respective agencies have recommended conditions, where appropriate, to ensure that the project will not have an adverse effect on the health, safety, and welfare of persons either residing or working in the neighborhood.
- b) Necessary public facilities are available and will be provided. Water will be provided by Santa Lucia Community Services District and the project includes the installation of a new septic system and leach field to serve the property.
- c) Staff conducted a site inspection on January 22, 2013 to verify that the site is suitable for this use.
- d) The application, project plans, and related support materials submitted by the project applicant to the Monterey County RMA Planning Department for the proposed development found in Project File PLN120822.

4. **FINDING:**

NO VIOLATIONS - The subject property is in compliance with all rules and regulations pertaining to zoning uses, subdivision, and any other applicable provisions of the County's zoning ordinance. No violations exist on the property.

EVIDENCE:

- a) Staff reviewed Monterey County RMA Planning Department and Building Services Department records and is not aware of any violations existing on subject property.
- Staff conducted a site inspection on January 22, 2013 and researched County records to assess if any violation exists on the subject property.

- c) There are no known violations on the subject parcel.
- d) The application, plans and supporting materials submitted by the project applicant to the Monterey County Planning Department for the proposed development are found in Project File PLN120822.

5. **FINDING:**

CEQA (Exempt): - The project is categorically exempt from environmental review and no unusual circumstances were identified to exist for the proposed project.

EVIDENCE:

- a) California Environmental Quality Act (CEQA) Guidelines Section 15303 (a) and (e), categorically exempts a single family dwelling, a second dwelling unit and an accessory unit such as a garage in a residential zone.
- b) The project proposes the construction of a new 4,481 square foot onestory single family dwelling with an 855 square foot detached garage and 600 square foot detached guest house. Therefore, meets the categorical exemption allowed within a residential zone.
- c) No adverse environmental effects were identified during staff review of the development application during a site visit on January 22, 2013.
- d) None of the exceptions under CEQA Guidelines Section 15300.2 apply to this project.
- e) See Findings #1, #2, #3, and #4 and evidences.
- f) Staff conducted a site inspection on January 22, 2013 to verify that the site is suitable for this use.
- g) The application, project plans, and related support materials submitted by the project applicant to the Monterey County RMA Planning Department for the proposed development found in Project File PLN120822.

6. **FINDING:**

DEVELOPMENT ON SLOPE – There is no feasible alternative which would allow development to occur on slopes of less than 30%.

EVIDENCE:

- a) In accordance with the applicable policies of the Greater Monterey Peninsula Area Plan and the Monterey County Zoning Ordinance (Title 21), a Use Permit is required and the criteria to grant said permit have been met. The proposed fill required for the driveway exceeds 100 cubic yards and is on a natural slope; therefore, requires a Use Permit.
- The project includes application for development on slopes exceeding 30%. In order to gain access to the home site, the driveway must cross a drainage swale that contains 30% slopes. There currently exists a crossing and culvert. However this crossing is not wide enough to accommodate fire department access. Therefore, a new driveway needs to cross this swale, and grading must occur on 30% slopes to access the homeland area. The proposed slopes that will be constructed will be less steep than what currently exists. The road will be raised at this crossing and aligning the driveway to follow parallel up the swale to avoid further impacts to 30% slopes. Although there are slight impacts to the 30% slopes, the character of the terrain will look natural and match the existing slopes as currently designed.
- b) The subject project minimizes development on slopes exceeding 30% in accordance with the applicable goals and policies of the applicable area plan and zoning codes. Should the impacts to 30% slopes be required to

be reduced slightly, the fill slopes would have to be increased to steeper than the 3:1 slopes as currently designed; which also would require a bridge to be constructed. The proposed grading of approximately 2,350 cubic yards of cut and 2,350 cubic yards of fill will be used to balance to driveway alignment.

- The application, plans and supporting materials submitted by the project applicant to the Monterey County Planning Department for the proposed development are found in Project File PLN120822.
- d) The project planner conducted a site inspection on January 22, 2013.

7. **FINDING:**

APPEALABILITY - The decision on this project may be appealed to the Board of Supervisors and not the California Coastal Commission

EVIDENCE:

Section 21.80.040 of the Monterey County Zoning Ordinance states that the proposed project is appealable to the Board of Supervisors.

DECISION

NOW, THEREFORE, based on the above findings and evidence, the Zoning Administrator does hereby:

- 1. Finds the project Categorically Exempt per Section 15303 (a) and (e); and
- 2. Approve Combined Development Permit consisting of: 1) an Administrative Permit to allow the construction of a new 4,481 square foot one-story single family dwelling with an 855 square foot detached garage and 600 square foot detached guest house; grading of approximately 2,350 cubic yards of cut and 2,350 cubic yard of fill to be balanced on site; 2) a Use Permit to allow development on slopes in excess of 30%; and 3) Design Approval, in general conformance with the attached sketch and subject to the attached conditions, all being attached hereto and incorporated herein by reference.

PASSED AND ADOPTED this 13th day of June, 2013 upon motion of:

	··
	Jacqueline Onciano, Zoning Administrator
COPY OF THIS DECISION MAILED TO APPLICANT OF	<u> </u>
THIS APPLICATION IS APPEALABLE TO THE BOARD	OF SUPERVISORS.
IF ANYONE WISHES TO APPEAL THIS DECISION, AN AND SUBMITTED TO THE CLERK TO THE BOARD AI FEE ON OR BEFORE	
This decision, if this is the final administrative decision, is Code of Civil Procedure Sections 1094.5 and 1094.6. Any the Court no later than the 90th day following the date on who	Petition for Writ of Mandate must be filed with

NOTES

1. You will need a building permit and must comply with the Monterey County Building Ordinance in every respect.

Additionally, the Zoning Ordinance provides that no building permit shall be issued, nor any use conducted, otherwise than in accordance with the conditions and terms of the permit granted or until ten days after the mailing of notice of the granting of the permit by the appropriate authority, or after granting of the permit by the Board of Supervisors in the event of appeal.

Do not start any construction or occupy any building until you have obtained the necessary permits and use clearances from the Monterey County Planning Department and Building Services Department office in Salinas.

2. This permit expires 3 years after the above date of granting thereof unless construction or use is started within this period.

Form Rev. 01-31-2013

Monterey County Planning Department

DRAFT Condition of Approval Implementation Plan/Mitigation Monitoring Reporting Plan

PLN120822

1. PD001 - SPECIFIC USES ONLY

Responsible Department:

Planning Department

Monitoring Measure:

Condition/Mitigation This Combined Development Permit consisting of: 1) an Administrative Permit to allow the construction of a new 4,481 square foot one-story single family dwelling with an 855 square foot detached garage and 600 square foot detached guest house; grading of approximately 2,350 cubic yards of cut and 2,350 cubic yards of fill to be balanced on site; 2) a Use Permit to allow development on slopes in excess of 30%; and 3) Design Approval was approved in accordance with County ordinances and land use regulations subject to the terms and conditions described in the project file. Neither the uses nor the construction allowed by this permit shall commence unless and until all of the conditions of this permit are met to the satisfaction of the Director of the RMA - Planning Department. Any use or construction not in substantial conformance with the terms and conditions of this permit is a violation of County regulations and may result in modification or revocation of this permit and subsequent legal action. No use or construction other than that specified by this permit is allowed unless additional permits are approved by the appropriate authorities. To the extent that the County has delegated any condition compliance or mitigation monitoring to the Monterey County Water Resources Agency, the Water Resources Agency shall provide all information requested by the County and the County shall bear ultimate responsibility to ensure that conditions and mitigation measures are properly fulfilled.

(RMA - Planning Department)

Compliance or Monitoring Action to be Performed: The Owner/Applicant shall adhere to conditions and uses specified in the permit on an ongoing basis unless otherwise stated.

2. PD002 - NOTICE PERMIT APPROVAL

Responsible Department:

Planning Department

Condition/Mitigation Monitoring Measure:

The applicant shall record a Permit Approval Notice. This notice shall state:

____) was approved by the Zoning "A Combined Development Permit (Resolution Number Administrator for Assessor's Parcel Number 239-091-081-000 on June 13, 2013. The permit was granted subject to 23 conditions of approval which run with the land. A copy of the permit is on file with the Monterey County RMA - Planning Department."

Proof of recordation of this notice shall be furnished to the Director of the RMA - Planning Department prior to issuance of building permits or commencement of the use.

(RMA - Planning Department)

Compliance or Monitoring Action to be Performed:

Prior to the issuance of grading and building permits or commencement of use, Owner/Applicant shall provide proof of recordation of this notice to the RMA - Planning Department.

PLN120822

Print Date: 5/31/2013 12:57:12PM

3. PD004 - INDEMNIFICATION AGREEMENT

Responsible Department:

Planning Department

Condition/Mitigation Monitoring Measure: The property owner agrees as a condition and in consideration of approval of this discretionary development permit that it will, pursuant to agreement and/or statutory provisions as applicable, including but not limited to Government Code Section 66474.9, defend, indemnify and hold harmless the County of Monterey or its agents, officers and employees from any claim, action or proceeding against the County or its agents, officers or employees to attack, set aside, void 'or annul this approval, which action is brought within the time period provided for under law, including but not limited to. Government Code Section 66499.37, as applicable. owner will reimburse the County for any court costs and attorney's fees which the County may be required by a court to pay as a result of such action. The County may, at its sole discretion, participate in the defense of such action; but such participation shall not relieve applicant of his/her/its obligations under this condition. An agreement to this effect shall be recorded upon demand of County Counsel or concurrent with the issuance of building permits, use of property, filing of the final map, recordation of the certificates of compliance whichever occurs first and as applicable. The County shall promptly notify the property owner of any such claim, action or proceeding and the County shall cooperate fully in the defense thereof. If the County fails to promptly notify the property owner of any such claim, action or proceeding or fails to cooperate fully in the defense thereof, the property owner shall not thereafter be responsible to defend, indemnify or hold the County harmless.

(RMA - Planning Department)

Compliance or Monitoring Action to be Performed: Upon demand of County Counsel or concurrent with the issuance of building permits, use of the property, recording of the final/parcel map, whichever occurs first and as applicable, the Owner/Applicant shall submit a signed and notarized Indemnification Agreement to the Director of RMA-Planning Department for review and signature by the County.

Proof of recordation of the Indemnification Agreement, as outlined, shall be submitted to the RMA-Planning Department.

4. PD007- GRADING WINTER RESTRICTION

Responsible Department:

Planning Department

Condition/Mitigation Monitoring Measure: No land clearing or grading shall occur on the subject parcel between October 15 and April 15 unless authorized by the Director of RMA - Building Services Department.

(RMA - Planning Department and Building Services Department)

Compliance or Monitoring Action to be Performed: The Owner/Applicant, on an on-going basis, shall obtain authorization from the Director of RMA - Building Services Department to conduct land clearing or grading between October 15 and April 15.

5. PD009 - GEOTECHNICAL CERTIFICATION

Responsible Department:

Planning Department

Condition/Mitigation
Monitoring Measure:

Prior to final inspection, the geotechnical consultant shall provide certification that all development has been constructed in accordance with the geotechnical report.

(RMA - Planning Department and Building Services Department)

Compliance or Monitoring Action to be Performed: Prior to final inspection, the Owner/Applicant/Geotechnical Consultant shall submit certification by the geotechnical consultant to the RMA-Building Services Department showing project's compliance with the geotechnical report.

PLN120822

6. PD010 - EROSION CONTROL PLAN

Responsible Department:

Planning Department

Condition/Mitigation Monitoring Measure:

The approved development shall incorporate the recommendations of the Erosion Control Plan as reviewed by the Director of RMA - Planning and Director of Building Services. All cut and/or fill slopes exposed during the course of construction be covered, seeded, or otherwise treated to control erosion during the course of construction, subject to the approval of the Director of RMA - Planning and RMA - Building Services. The improvement and grading plans shall include an implementation schedule of measures for the prevention and control of erosion, siltation and dust during and immediately following construction and until erosion control planting becomes established. This program shall be approved by the Director of RMA - Planning and Director of RMA - Building Services.

(RMA - Planning Department and RMA - Building Services Department)

Compliance or Monitoring Action to be Performed:

Prior to the issuance of grading and building permits, the Owner/Applicant shall submit an Erosion Control Plan to the RMA - Planning Department and the RMA - Building Services Department for review and approval.

The Owner/Applicant, on an on-going basis, shall comply with the recommendations of the Erosion Control Plan during the course of construction until project completion as approved by the Director of RMA - Planning and Director of RMA - Building Services.

7. PD012(F) - LANDSCAPE PLAN & MAINTENANCE (SFD ONLY)

Responsible Department:

Planning Department

Condition/Mitigation Monitoring Measure:

The site shall be landscaped. Prior to the issuance of building permits, three (3) copies of a landscaping plan shall be submitted to the Director of the RMA - Planning Department. A landscape plan review fee is required for this project. Fees shall be paid at the time of landscape plan submittal. The landscaping plan shall be in sufficient detail to identify the location, species, and size of the proposed landscaping materials and shall include an irrigation plan. The plan shall be accompanied by a nursery or contractor's estimate of the cost of installation of the plan. Before occupancy, landscaping shall be either installed or a certificate of deposit or other form of surety made payable to Monterey County for that cost estimate shall be submitted to the Monterey County RMA - Planning Department. All landscaped areas and fences shall be continuously maintained by the applicant; all plant material shall be continuously maintained in a litter-free, weed-free, healthy, growing condition. (RMA - Planning Department)

Compliance or Monitoring Action to be Performed: Prior to issuance of building permits, the Owner/Applicant/Licensed Landscape Contractor/Licensed Landscape Architect shall submit landscape plans and contractor's estimate to the RMA - Planning Department for review and approval. Landscaping plans shall include the recommendations from the Forest Management Plan or Biological Survey as applicable. All landscape plans shall be signed and stamped by licensed professional under the following statement, "I certify that this landscaping and irrigation plan complies with all Monterey County landscaping requirements including use of native, drought-tolerant, non-invasive species; limited turf; and low-flow, water conserving irrigation fixtures."

Prior to occupancy, the Owner/Applicant/Licensed Landscape Contractor/Licensed Landscape Architect shall ensure that the landscaping shall be either installed or a certificate of deposit or other form of surety made payable to Monterey County for that cost estimate shall be submitted to the Monterey County RMA - Planning Department.

On an on-going basis, all landscaped areas and fences shall be continuously maintained by the Owner/Applicant; all plant material shall be continuously maintained in a litter-free, weed-free, healthy, growing condition.

8. PD014(A) - LIGHTING - EXTERIOR LIGHTING PLAN

Responsible Department: Planning Department

Condition/Mitigation Monitoring Measure:

All exterior lighting shall be unobtrusive, down-lit, harmonious with the local area, and constructed or located so that only the intended area is illuminated and off-site glare is fully controlled. The applicant shall submit three (3) copies of an exterior lighting plan which shall indicate the location, type, and wattage of all light fixtures and include catalog sheets for each fixture. The lighting shall comply with the requirements of the California Energy Code set forth in California Code of Regulations Title 24 Part 6. The exterior lighting plan shall be subject to approval by the Director of the RMA - Planning Department, prior to the issuance of building permits.

(RMA - Planning Department)

Compliance or Monitoring Action to be Performed:

Prior to the issuance of building permits, the Owner/Applicant shall submit three copies of the lighting plans to the RMA - Planning Department for review and approval. Approved lighting plans shall be incorporated into final building plans.

Prior to occupancy and on an on-going basis, the Owner/Applicant shall ensure that the lighting is installed and maintained in accordance with the approved plan.

9. PD019(A) - DEED RESTRICTION-GUESTHOUSE (INLAND)

Responsible Department:

Planning Department

Condition/Mitigation Monitoring Measure:

The applicant shall record a deed restriction stating the regulations applicable to a GUESTHOUSE (Inland) as follows:

Only 1 guesthouse shall be allowed per lot.

Detached guesthouses shall be located in close proximity to the principal residence.

Guesthouses shall share the same utilities with the main residence, unless prohibited by public health requirements.

The guesthouse shall not have cooking or kitchen facilities, including but not limited to microwave ovens, hot plates and toaster ovens.

The guesthouse shall have a maximum of 6 linear feet of counter space, excluding counter space in a bathroom. There shall be a maximum of 8 square feet of cabinet space, excluding clothes closets.

The questhouse shall not exceed 600 square feet of livable floor area.

The guesthouse shall not be separately rented, let or leased from the main residence whether compensation be direct or indirect.

Subsequent subdivisions which divide a main residence from a guesthouse shall be prohibited.

The guesthouse shall be designed in such a manner as to be visually consistent and compatible with the main residence on site and other residences in the area.

The questhouse height shall not exceed 15 feet nor be more than one story.

(RMA - Planning Department)

Compliance or Monitorina Action to be Performed:

Prior to the issuance of grading or building permits, the Owner/Applicant shall submit the signed and notarized document to the Director of RMA-Planning Department for review and signature by the County.

Prior to occupancy or commencement of use, the Owner/Applicant shall submit proof of recordation of the document to the RMA-Planning Department.

10. PD032(A) - PERMIT EXPIRATION

Responsible Department:

Planning Department

Condition/Mitigation Monitoring Measure:

The permit shall be granted for a time period of 3 years, to expire on June 13, 2016, unless use of the property or actual construction has begun within this period. (RMA-Planning Department)

Compliance or

Monitoring Action to be Performed: Prior to the expiration date stated in the condition, the Owner/Applicant shall obtain a valid grading or building permit and/or commence the authorized use to the satisfaction of the Director of Planning. Any request for extension must be received by the Planning Department at least 30

days prior to the expiration date.

11. EHSP01 - ONSITE WASTEWATER TREATMENT SYSTEM DESIGN

Responsible Department:

Health Department

Condition/Mitigation Monitoring Measure:

The Environmental Health Bureau (EHB) has determined that adequate area exists for onsite wastewater disposal for the proposed development. Submit onsite wastewater treatment system (OWTS) plans for review and approval indicating the location, design layout and size specifications that meets standards found in Monterey County Code Chapter 15.20, Sewage Disposal Ordinance, and the Central Coast Basin Plan, Regional Water Quality Control Board.

Compliance or Monitoring Action to be Performed:

Prior to issuance of construction permit, submit an OWTS application and design plans for review and approval by the EHB. Applicant shall obtain a permit to install the OWTS from EHB.

12. PW0006 - CARMEL VALLEY

Responsible Department: Public Works Department

Condition/Mitigation Monitoring Measure: The Applicant shall pay the Carmel Valley Master Plan Area Traffic Mitigation fee pursuant to

Board of Supervisors Resolution NO. 95-140, adopted September 12, 1995 (Fees are updated

annually based on CCI).

Compliance or Monitorina Action to be Performed:

Prior to Building Permits Issuance Owner/Applicant shall pay to PBI the required traffic mitigation.

13. PW0040 - HIGHWAY 1 SHORT TERM IMPROVEMENTS

Responsible Department:

Public Works Department

Condition/Mitigation Monitoring Measure:

Applicant shall Contribute (\$833 - 2013 Dollar) to County of Monterey as payment of the project's pro

rata share at the cost of short-term operational improvements to State Highway One.

Compliance or Monitoring

Prior to Issuance of Building Permits Owner/Applicant shall pay to PBI required Traffic

Mitigation Fee. Action to be Performed:

PLN120822

Print Date: 5/31/2013 12:57:12PM

14. PW0043 - REGIONAL DEVELOPMENT IMPACT FEE

Responsible Department: Public Works Department

Condition/Mitigation Monitoring Measure: Prior to issuance of building permits, applicant shall pay the Regional Development Impact Fee (RDIF) pursuant to Monterey Code Chapter 12.90. The fee amount shall be determined based

on the

parameters adopted in the current fee schedule.

Compliance or Monitoring Action to be Performed:

Prior to issuance of Building Permits Owner/Applicant shall pay Monterey County Building Services Department the traffic mitigation fee. Owner/Applicant shall submit proof of payment to

the DPW.

15. WR002 - STORMWATER CONTROL

Responsible Department:

Water Resources Agency

Condition/Mitigation Monitoring Measure: The applicant shall provide a drainage plan, prepared by a registered civil engineer or licensed architect, to mitigate on-site and off-site impacts. Impervious surface stormwater runoff shall be dispersed at multiple points, on the least steep available slopes, away from and below any septic leach fields. Erosion control shall be provided at each outlet. Drainage improvements shall be constructed in accordance with plans approved by the Water Resources Agency. Resources Agency)

Compliance or Monitoring Action to be Performed:

Prior to issuance of any construction permit, the owner/applicant shall submit a drainage plan with the construction permit application.

The Building Services Department will route a plan set to the Water Resources Agency for review and approval.

16. FIRE007 - DRIVEWAYS

Responsible Department:

Condition/Mitigation Monitoring Measure:

Driveways shall not be less than 12 feet wide unobstructed, with an unobstructed vertical clearance of not less than 15 feet. The grade for all driveways shall not exceed 15 percent. Where the grade exceeds 8 percent, a minimum structural roadway surface of 0.17 feet of asphaltic concrete on 0.34 feet of aggregate base shall be required. The driveway surface shall be capable of supporting the imposed load of fire apparatus (22 tons), and be accessible by conventional-drive vehicles, including sedans. For driveways with turns 90 degrees and less. the minimum horizontal inside radius of curvature shall be 25 feet. For driveways with turns greater than 90 degrees, the minimum horizontal inside radius curvature shall be 28 feet. For all driveway turns, an additional surface of 4 feet shall be added.. All driveways exceeding 150 feet in length, but less than 800 feet in length, shall provide a turnout near the midpoint of the driveway. Where the driveway exceeds 800 feet, turnouts shall be provided at no greater than 400-foot intervals. Turnouts shall be a minimum of 12 feet wide and 30 feet long with a minimum of 25-foot taper at both ends. Turnarounds shall be required on driveways in excess of 150 feet of surface length and shall be located within 50 feet of the primary building. minimum turning radius for a turnaround shall be 40 feet from the center line of the driveway. If a hammerhead/T is used, the top of the "T" shall be a minimum of 60 feet in length. (Monterey County Regional Fire District)

Compliance or Monitoring Action to be Performed:

Prior to issuance of grading and/or building permits, the Applicant shall incorporate the specification of the driveway into design and print the text of this condition as "Fire Department Notes" on plans.

Prior to requesting a final building inspection, the Applicant shall complete the installation of driveway improvements and obtain fire department approval the final fire inspection.

17. FIRE008 - GATES

Responsible Department:

Fire

Condition/Mitigation Monitoring Measure:

All gates providing access from a road to a driveway shall be located at least 30 feet from the roadway and shall open to allow a vehicle to stop without obstructing traffic on the road. Gate entrances shall be at least the width of the traffic lane but in no case less than 12 feet wide. Where a one-way road with a single traffic lane provides access to a gated entrance, a 40-foot turning radius shall be used. Where gates are to be locked, the installation of a key box or other acceptable means for immediate access by emergency equipment may be required. (Monterey County Regional Fire District)

Compliance or Monitoring Action to be Performed:

Prior to issuance of grading and/or building permits, the Applicant shall incorporate the specification of the entry gate into design and print the text of this condition as "Fire Department Notes" on plans.

Prior to requesting a final building inspection, the Applicant shall complete the installation of the entry gate and obtain fire department approval the final fire inspection.

18. FIRE011 - ADDRESSES FOR BUILDINGS

Responsible Department:

Fire

Condition/Mitigation Monitoring Measure:

All buildings shall be issued an address in accordance with Monterey County Ordinance No. Each occupancy, except accessory buildings, shall have its own permanently posted When multiple occupancies exist within a single building, each individual occupancy shall be separately identified by its own address. Letters, numbers and symbols for addresses shall be a minimum of 4-inch height, 1/2-inch stroke, contrasting with the background color of The sign and numbers shall be reflective and made of a the sign, and shall be Arabic. noncombustible material. Address signs shall be placed at each driveway entrance and at each Address signs shall be visible and legible from both directions of travel along the driveway split. road. In all cases, the address shall be posted at the beginning of construction and shall be maintained thereafter. Address signs along one-way roads shall be visible from both directions of travel. Where multiple addresses are required at a single driveway, they shall be mounted on a single sign. Where a roadway provides access solely to a single commercial occupancy, the address sign shall be placed at the nearest road intersection providing access to that site. Permanent address numbers shall be posted prior to requesting final clearance. (Monterey County Regional Fire District)

Compliance or Monitoring Action to be Performed:

Prior to issuance of building permit, Applicant shall incorporate specification into design and print the text of this condition as "Fire Dept. Notes" on plans.

Prior to requesting a final building inspection, Applicant shall install the required address signage and shall obtain fire department approval of the fire department final inspection.

19. FIRE015 - FIRE HYDRANTS/FIRE VALVES

Responsible Department:

Fire

Condition/Mitigation Monitoring Measure:

A fire hydrant or fire valve is required. The hydrant or fire valve shall be 18 inches above grade, 8 feet from flammable vegetation, no closer than 4 feet and no further than 12 feet from a roadway, and in a location where fire apparatus using it will not block the roadway. The hydrant serving any building shall be not less than 50 feet and not more than 1000 feet by road from the building it is to serve. Minimum hydrant standards shall include a brass head and valve with at least one 2 1/2 inch National Hose outlet supplied by a minimum 4 inch main and riser. More restrictive hydrant requirements may be applied by the Reviewing Authority. Each hydrant/valve shall be identified with a reflectorized blue marker, with minimum dimensions of 3 inches, located on the driveway address sign, non-combustible post or fire hydrant riser. If used, the post shall be within 3 feet of the hydrant/valve, with the blue marker not less than 3 feet or greater than 5 feet above the ground, visible from the driveway. On paved roads or driveways, reflectorized blue markers shall be permitted to be installed in accordance with the State Fire Marshal's Guidelines for Fire Hydrant Markings Along State Highways and Freeways, May 1988. (Monterey County Regional Fire District)

Compliance or Monitoring Action to be Performed:

Prior to issuance of grading and/or building permit, Applicant shall incorporate specification into design and print the text of this condition as "Fire Dept. Notes" on construction plans.

Prior to requesting a final building inspection, the Applicant shall complete the installation of the water system improvements and shall obtain fire department approval of the final fire inspection.

20. FIRE019 - DEFENSIBLE SPACE REQUIREMENTS - (STANDARD)

Responsible Department:

Fire

Condition/Mitigation Monitoring Measure:

Manage combustible vegetation from within a minimum of 100 feet of structures, or to the property line, whichever is closer. Trim tree limbs to a minimum height of 6 feet from the ground. Remove tree limbs from within 10 feet of chimneys. Additional and/or alternate fire protection or firebreaks approved by the fire authority may be required to provide reasonable fire safety. Environmentally sensitive areas may require alternative fire protection, to be determined by Reviewing Authority and the Director of Planning and Building Inspection. (Monterey County Regional Fire District)

Compliance or Monitoring Action to be Performed:

Prior to issuance of grading and/or building permit, Applicant shall incorporate specification into design and print the text of this condition as "Fire Dept. Notes" on construction plans.

Prior to requesting a final building inspection, the Applicant shall complete the vegetation management and shall obtain fire department approval of the final fire inspection.

21. FIRE022 - FIRE PROTECTION EQUIPMENT & SYSTEMS - FIRE SPRINKLER SYSTEM - (HAZARDOUS CONDITIONS)

Responsible Department:

Fire

Condition/Mitigation Monitoring Measure:

The building(s) and attached garage(s) shall be fully protected with automatic fire sprinkler system(s). Installation shall be in accordance with the applicable NFPA standard. A minimum of four (4) sets of plans for fire sprinkler systems must be submitted by a California licensed C-16 contractor and approved prior to installation. This requirement is not intended to delay issuance of a building permit. A rough sprinkler inspection must be scheduled by the installing contractor completed prior to requesting a framing inspection. Due to substandard access, or other mitigating factors, small bathroom(s) and open attached porches, carports, and similar structures shall be protected with fire sprinklers. (Monterey County Regional Fire District)

Compliance or Monitoring Action to be Performed:

Prior to issuance of grading and/or building permit, Applicant shall print the text of this condition as "Fire Dept. Notes" on construction plans.

Prior to requesting a framing inspection, the Applicant shall obtain fire department approval of the rough sprinkler inspection.

Prior to requesting a final building inspection, the Applicant shall complete the installation of the fire sprinkler system and obtain fire department approval of the final fire sprinkler inspection.

22. FIRE024 - FIRE ALARM SYSTEM - (SINGLE FAMILY DWELLING)

Responsible Department:

Fire

Condition/Mitigation Monitoring Measure:

The residence shall be fully protected with an approved household fire warning system as defined by NFPA Standard 72. Plans and specifications for the household fire warning system shall be submitted by a California licensed C-10 contractor and approved prior to installation. Household fire warning systems installed in lieu of single-station smoke alarms required by the Uniform Building Code shall be required to be placarded as permanent building equipment. (Monterey County Regional Fire District)

Compliance or Monitoring Action to be Performed:

Prior to issuance of building permit, Applicant shall print the text of this condition on the construction plans.

Prior to requesting a framing inspection, Applicant shall obtain fire department approval of the fire alarm system plans.

Prior to requesting a final building inspection, Applicant shall complete the installation of the fire alarm system, obtain fire department approval of the fire alarm acceptance test and final fire inspection.

23. FIRE027 - ROOF CONSTRUCTION - (VERY HIGH HAZARD SEVERITY ZONE)

Responsible Department:

Fire

Condition/Mitigation Monitoring Measure:

All new structures, and all existing structures receiving new roofing over 50 percent or more of the existing roof surface within a one-year period, shall require a minimum of ICBO Class A roof construction. (Monterey County Regional Fire District)

Compliance or Monitoring Action to be Performed:

Prior to issuance of building permit, the Applicant shall print the text of this condition as "Fire Dept. Notes" on construction plans.

14. NO VEGETATION RENOVAL OR GRADING WILL BE ALLOWED WHICH WILL RESULT IN SILTATION OF WATER COURSES OR UNCONTROLLABLE EROSION. II. PAD ELEVATIONS SHALL BE CERTIFIED TO 0.1 FEET, PRIOR TO DIGGING ANY FOOTINGS OR SCHEDULING ANY INSPECTIONS GRADING AND DRAINAGE NOTES ; Intentions of Grading is for the New Construction of a single family residence, guest house, and a garage . SEE ARCHTECTURAL/LANDSCAPE PLANS FOR TREE PROTECTION AND REMOVAL DETAILS AND IN ACCORDANCE WITH THE PROJECT ARBORIST'S FOOT. . ESTIMATED START: TBD , ESTIMATED COMPLETION: ALL MORK SHALL BE IN COMPORANCE MIN.

A. THE ZONE CONTROL OF "SYMUNDAY SPECIFICATIONS," STATE OF CALIFORNIA, DEPARTMENT OF TRANSPORTATION (CALIFAMS);

B. ZON CALIFORNIA, BUILDING CONG.

C. MANTEREY COUNTY CHAUSING CRIMINGE \$25.55.

D. EXCRIM CONTROL, CRIMINGES \$15.55. A LUMBOR WRITER GRADING OPERATIONS (GETWEEN OCTOBER) IS AND APAIL 15), THE FOLLOWING MUST BE FAVER TO THAN OR MUNICIPAL TO THE WRITER AND APAIL APAIL TO THE WRITER APAIL TO THE WRI VA WITS GROWN STATEM FOR WHITE MESTAGE AND CHAIR STATEMENT STATEME GOTTO THE STANDARD SELECTION SELECTION OF THE STANDARD SELECTION S I. F. CARRING THE COMESS OF CONSTRUCTION, CLUTUAL, ACCHECOCOCK, INSTINCEAL OF PALEXYMOZOCKA, RESURECS ARE INCORRED AT THE STRE (MERCEAS DE BUSBURFACE RESORRES) WARS WILL BE HALTD WILL BERKATILLY THIS MERCHALL STREAM OF THE FROM DIVINITY AND PREPERSORAL ACHICACOGNIST CHAIR POLICIPATION OF THE FROM DIVINITY AND PREPERSORAL ACHICACOGNIST CHAIR POLICIPATION OF THE FROM THE ACHICACOGNIST SHALL BE RECORDED BY THE RESPONSIVE ACHICACOGNIST SHALL BE RECORDED FOR THE FROM THE ACHICACOGNIST SHALL BE RECORDED FOR THE PARTY FOR THE PARTY FOR THE ACHICACOGNIST SHALL BE ACHICACOGNIST SHALL SHALL BE ACHICACOGNIST SHALL BE ACHICA SUL COPERD AREAS ADJACRY TO NEW BUILDWIGS) SHALL SLOPE A LIMINIJU OP 5% AWAY FROM THE NEW BUILDING TOR A LIMINIJU Stance of 10 ret nuelses otherwes shown hereon hol paproned by the Engineer, impervious surfaces shall be sloped at a Namua Gradicht of 2% for a liminiju distance of 10 ret. OUT SAPES, AND THE PROPERTY DIL SAPES, SHOULD BE CONSTRUCTED AT A CHARDRY OF AT (MORCONTAL TO MERICAL) OR FAITER LESS OTREMSEL (DIETS) INTERPRET DIE LOPES, ARE ANTICPATED TO BE REASONABLY STABLE AT AN INCLINATION OF 1.51 (MORCONTAL VERTICAL) IN SOIL AND 1:1 IN SANDSTONE BASERIOCK. soils engineer shall observe Keyways prior to the placement of any fill—contractor is to subjit soil engineer's Mpaction test results and final grading reports prior to scheduling any inspections. ALL GRADING SHALL CONFORM WITH THE MONTEREY COUNTY GRADING ORDINANCE \$2535 AND EROSION CONTROL ORDINANCE \$2500 retaining walls shown for location only and are not a part of this plan set. A separate bulding permit will be required R all retaining walls. PROPERTY IS NOT SUBJECT TO INUNDATION OR 100 YEAR FLOOD LEVELS. topography survey percorjed by bestor exigneers on July 3, 2008. Original topographic map conducted on June 2000. Aporary benchmark: Iron pipe set at the southern most homeland boundary corner, as shown hereon. Assumed elev 1878.06' APPROXIMATELY 2,300 SF OF DEVELOPMENT IS PROPOSED ON SLOPES IN EXCESS OF 30% SEE STRUCTURAL AND ARCHITECTURAL PLANS FOR FOUNDATION FOOTING WIDTH, FOUNDATION DRAINS, AND NATIONS ORANS SHOWN HEREON ARE FOR ROUTING PURPOSE ONLY. ORTRACIOR IS RESPONSIBIL FOR COMPLINACE WITH ANY DIREBUTLY APPLICABLE SAFTY LAW OF MAY LAWROUND ROOM, FOR HAUNDIN RECHARRION THE PORSON, HIE CONTRACTOR SOUTH OF CONTRACTOR SHALL BE RESPONSIBILE FOR ALL BARRICAGES, SAFTY GOITES, CHATRIO, SUMAS, CULETONIA, PROSE (SIS) 443–2500 THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL BARRICAGES, SAFTY GOITES, CHATRIO, DOT TRAFFOR THAN HE CONSTRUCTION AREA. WHERE UTILITY LINES PASS UNDER FOUNDATION LINES, A 3-SACK CONCRETE BACKFILL SHALL BE USED, EXTEND 2' HORIZONTAL FOR EVERY BELOW BOTTON OF FOUNDATION. TRENCHES SHALL BE CAPPED WITH 18' OF INPERHEABLE SOIL. INIS SAUS, HANNIA MA GRANIAC CHARTEL OF LESS THAN HERE PRESENT BY VALUER, AND WICH ARE TREE OF CANTRIBUCIONA CREASE.
USED AS FILL, THE LATERLY SOULD AND CONTINN PROSESS OF LUMPS GERTLET THAN SEX MINERS IN GERLETST INCUSION, WATERLYS.
IN FIRST THAN THE, AGO SOUTES SHALL DES CANDES CANDES CANDES AND AGORDES MANDE LOSS THE FILL THAN THE AGO SOUTES SHALL BE CAUSTED ASS. SHAD, GERCULT CHANNESS CANDES CANDES SHAD LESS CONTINN HAVE GERCULT CHANNESS CANDES CANDES SHAD THE CONTINN HAVE CONTINN HAVE GERCULT CHANNESS CANDES CANDES SHAD THE CONTINN HAVE CANDES TO BE SHAD AND CANDESTE THE SHAT CONTINN HAVE CANDES TO BE SHAD AND CANDESTE THE SHAT CONTINN HAVE CANDES TO BE SHAD AND CANDESTE THE SHAT CONTINN HAVE CANDES THE MERCHAN INFO CANSINICIPION MERIS, INCLUDIOS THE STOCKHEE STE, SHALD BE CLEARD OF EXPERIENT, VEEZHAM, WOOD WLAH, SHRING ON CESCANICIPIO CRAWN, THEE ROOT WILLS AND CUERS, INCLES ERSILIATE HAN HE EXPORAÇE OF WEEKFORMING OF THE PROPERTY OF THE STREET, COMPACTION WITH STREET, COMPACTION LATERAL, AFTER THE STREET, COMPACTION WILL AFTER THE STREET, COMPACTION HAS THE STREET, THE STREET, WORLE, MORRIS, MORRIS, WORLE, WORLD, AL NOTES.
STRUCTION COMPINATION ACREES THAT IN ACCORDANCE WITH THE CREETALLY ACCORDED CONSTRUCTION PRACTICES, CONSTRUCTION STRUCTION CONTROLLED BY ACCORDED TO THE PROPERTY OF AND HE SEE SHALL BE DEFINISED OF FLERED BY REPUIS, VECETAIND RICHES 1878-5, AND/OR CACHE MANUEL TO PREPOIN THE FERMAND FROM THE SEY.

COMPRO, ACSURES SHALL BE MANYAMED AND IN PLOCE AT THE IDEO OF EACH DAY AND COMMISSALY THROUGHOUT THE UFF CACHET DURING WHILE REVENANCIES (MOYERSET COUNT CHANGE/RESONN CHARIEL, MORNANCE 2008 — 18/12/09/1). 1989.55 TG 1998.50 BS 1998,50 FL 1998.50 EP 1714.40 FP 1717.00 15 1707.00 FS @ SDCO 1720 0 ĠŹĠ AG FSG HOMELAND BOUNDARY APPROXIMATE LIMITS OF SLOPES IN EXCESS OF 30% STONE AND GRAVEL PAVING (SEE LANDSGAPE ARCHITECT'S PLANS FOR DETAILS) DOWNSPOUT & RAIN WATER LEADER (SEE ARCHITECTURAL PLANS FOR DETAILS) DRAIN INLET TOP OF GRATE ELEVATION INVERT ELEVATION EXISTING TREE TO BE REMOVED RETAINING WALL (SEE STRUCTURAL AND ARCHITECTURAL PLANS FOR DETAILS) ASPHALT DRIVEWAY BUILDING FOOTPRINT FENCE (SEE LANDSCAPE ARCHITECT'
PLANS FOR DETAILS) UMITS OF FILL LOCAL BENCHMARK (SEE GENERAL NOTE 4) TOP OF WALL ELEVATION TOP OF STAIRS GRADE FLOW LINE ELEVATION FLOW LINE WITH DIRECTION OF FLOW NEW SEWER SEPTIC LINE GRADE TO DRAIN (5% MINIMUM) FINISH CRADE CONTOU DETAIL NUMBER/SHEET NUMBER UNLESS OTHERWISE NOTED DRAIN INLET BOTTOM OF STAIRS GRADE STORM DRAIN CLEANOUT OINT OF CONNECTION ONT OF VERTICAL INTERSECTION LANTER AREA NISH CRADE SOTTOM OF WALL KREA DRAIN INISH PAYED ELEVATION INISH SURFACE ELEVATION SUBDRAIN OR WALL DRAIN MTER LEVEL GGREGATE BASE SPHALT CONCRETE NISHED SUBGRADE ELEVATION HISHED FLOOR ELEVATION ANDSCAPE ARCHITECT INCTION BOX CAVIL ENGINEER
WHITSON ENGINEERS
9899 BLUE LARKSPUR LANE
SUITE 105
MCNTEREY, CA 93940 GEOTECHNICAL ENGINEER
ORICE ENGINEERING, INC
581-A BRUNKEN AVE
SAUNAS, CA 93901 SITE ADDRESS & APN
GERBER RESIDENCE
SANTA LUCIA PRESERVE LOT 178
CARMEL, CA 93923 TEL (831) 422-9619 TEL (831) 649-5225 NOT FOR CONSTRUCTION VICINITY MAP 173 VERALL SITE PLAN 159 60 1501 NORTH POINT ST. SAN FRANCISCO, CA 94123 ARCHITECT
BRAYTON HUGHES DESIGN STUDIO
639 HOWARD ST.
SAN FRANCISCO, CA 94105 TEL: (415) 291-8100 TEL: (415) 543-0332 ANDSCAPE ARCHITECT 177 CIVIL SHEET INDEX

ON ONE SITE COVER SHEET

ON ONE SITE COVER SHEET

ON ONE SHEED CONTROL MOTES AND DETAILS


ONLY SITE SEPTIC FUN


CO.) ONLY SITE SEPTIC FUN


CO.) ONLY SITE SEPTIC FUN


CO.) 噩 179 242 BJECT PROPERTY 84.75* 306.13* 130.78* 131.93* 90.82* 149.72* 182 243 REVISIONS **GERBER RESIDENCE - SLP LOT 178** WHITSON ENGINEERS
ue Larkspur Lane « Suite 105 « Monterey, CA 93940
831 649-5225 « Fax 831 373-5065 C₀. $\mathbb{Z} \mathcal{W}$ SCALE NOTEI ENGR DR CIVIL SITE COVER SHEET

FOR REDUCED PLANS ORIGINAL SCALE IS IN INCHES









MAIN HOUSE ELEVATION AT COURT YARD (LOOKING-EAST)

A-3.1

2


MONTEREY COUNTY PLANNING DEPARTMENT SUBMITTAL


SCHEMATIC ELEVATIONS


SCALE: 1/8" = 1'-0" DECEMBER 7, 2012


Gerber Residence
Lot #178, Santa Lucia Preserve
Carmel, CA 93923


0 8' 16' 32














GARAGE ELEVATION (EAST)

GARAGE ELEVATION (NORTH)

GARAGE ELEVATION (\

MONTEREY COUNTY PLANNING DEPARTMENT SUBMITTAL

SCHEMATIC ELEVATIONS SCALE: 1/8" = 1'-0" DECEMBER 7, 2012

Gerber Residence

Lot #178, Santa Lucia Preserve Carrnel, CA 93923



A-3.3

