

**PLANNING COMMISSION
COUNTY OF MONTEREY, STATE OF CALIFORNIA**

RESOLUTION NO. 05067

A.P.# 177-031-014-000

In the matter of the application of
Timothy and Wendy Riley (PLN050241)

FINDINGS & DECISION

for a Use Permit in accordance with Title 21 (Zoning) Chapter 21.74 (Use Permits) of the Monterey County Code, to allow Use Permit for to allow partial demolition and construction of a 600 sq. ft. second story and 291 sq. ft. addition to a 1,376 sq. ft. single-family dwelling on a 6,000 sq ft. parcel, in the Historic District of Spreckels, (colors and materials are to match existing). The project is located at 15 Third Street, Spreckels, Greater Salinas Area Plan, and came on regularly for hearing before the Planning Commission on December 14, 2005.

Said Planning Commission, having considered the application and the evidence presented relating thereto,

FINDINGS OF FACT

- 1. FINDING:** The Use Permit (PLN050241) and Design Approval, as described in Condition #1, and as conditioned, is consistent with the plans, policies, requirements and standards of the Monterey County General Plan, the Greater Salinas Area Plan, Spreckels Design Guidelines and the Monterey County Zoning Ordinance (Title 21).

EVIDENCE: The parcel is zoned "HDR-5.1-HR-D (High Density Residential, 5.1 acres density, Historic District, Design Review). The project is in compliance with Site Development Standards for a High Density Residential District in accordance with Section 21.10.060.

EVIDENCE: Design Approval Request form with project plans.

EVIDENCE: Spreckels Neighborhood Design Review Committee unanimously recommended approval on June 15, 2005.

EVIDENCE: "HR" (Historic Resource) zoning regulations applicable to the site as found in Chapter 21.54 of the Monterey County Code.

EVIDENCE: Secretary of the Interior's Standards for the Treatment of Historic Properties.

EVIDENCE: The application and plans submitted for the Use Permit and Design Approval in project file PLN050241 at the Monterey County Planning and Building Inspection Department.
- 2. FINDING:** The proposed project as conditioned, is consistent with Section 21.54 of the Monterey County Zoning Code (Regulations for Historic Resources Zoning Districts) and will neither adversely affect the significant architectural features of the designated resource nor adversely affect the character, historical, architectural, or aesthetic interest or value of the designated resource and its site.

EVIDENCE: Design Approval Request form with plans

EVIDENCE: Spreckels Neighborhood Design Review Committee voted unanimously to recommend approval on 6/15/2005.

EVIDENCE: "HR" (Historic Resource) zoning regulations applicable to the site as found in Chapter 21.54 of the Monterey County Code.

EVIDENCE: Secretary of the Interior's Standards for the Treatment of Historic Properties.

EVIDENCE: The application and plans submitted for the Use Permit and Design Approval in project file PLN050241 at the Monterey County Planning and Building Inspection Department.

3. **FINDING:** The proposal conforms to the standards and Spreckels Design Guidelines adopted by the Board of Supervisors and would not adversely affect the character of the district.
- EVIDENCE:** Design Approval Application and other materials in file PLN050241 (Riley).
- EVIDENCE:** "HR" (Historic Resource) zoning regulations applicable to the site as found in Chapter 21.54 of the Monterey County Code.
- EVIDENCE:** Secretary of the Interior's Standards for the Treatment of Historic Properties.
- EVIDENCE:** Spreckels Design Guidelines, Monterey County Planning and Building Inspection Department dated February 1999.
- EVIDENCE:** The Spreckels Neighborhood Design Review Committee recommended approval during the public meeting on June 15, 2005.
4. **FINDING:** The site is suitable for the use proposed.
- EVIDENCE:** The project has been reviewed for suitability by the Monterey County Planning and Building Inspection Department, Water Resources Agency, the Salinas Rural Fire District, Public Works Department, the Environmental Health Division, the Spreckels Neighborhood Design Review Committee and the Historical Resources Review Board. There has been no indication from those agencies that the site is not suitable. There has been no testimony received either written or oral, during the course of public hearings to indicate that the site is not suitable for the project. Necessary public facilities are available for the use proposed. There are no physical or environmental constraints such as geologic or seismic hazard areas, environmentally sensitive habitats, or similar areas that would indicate the site is not suitable for the use proposed. Recommended conditions have been incorporated into the Conditions of Approval as Exhibit "C."
- EVIDENCE:** The Spreckels Neighborhood Design Review Committee recommended approval during the public meeting on June 15, 2005.
- EVIDENCE:** The application and plans submitted for the Use Permit and Design Approval in project file PLN050241 at the Monterey County Planning and Building Inspection Department.
5. **FINDING:** The subject property is in compliance with all rules and regulations pertaining to zoning uses, subdivision and any other applicable provisions of the County's zoning ordinance. No violations exist on the property. Zoning violation abatement costs, if any, have been paid.
- EVIDENCE:** Staff reviewed Monterey County Planning and Building Inspection Department records and is not aware of any violations existing on subject property.
6. **FINDING:** The approved project will not have a significant adverse impact on the environment.
- EVIDENCE:** Section 15303(3)(a) of the California Environmental Quality Act Guidelines (New Construction or Conversion of Small Structures) categorically exempts this project from environmental review. There is no grading proposed and there are no unusual circumstances related to the project or property.
- EVIDENCE:** Application materials in project file PLN050241.
7. **FINDING:** The establishment, maintenance, or operation of the use or building applied for will not under the circumstances of the particular case, be detrimental to the health, safety, peace, morals, comfort, and general welfare of persons residing or working in the neighborhood or to the general welfare of the County.

EVIDENCE: The project has been reviewed for suitability by the Monterey County Planning and Building Inspection Department, Water Resources Agency, the Fire District, Public Works Department and the Environmental Health Division. There has been no indication from those agencies that the site is not suitable. There has been no testimony received either written or oral, during the course of public hearings to indicate that the site is not suitable for the project. Necessary public facilities are available for the use proposed. There are no physical or environmental constraints such as geologic or seismic hazard areas, environmentally sensitive habitats, or similar areas that would indicate the site is not suitable for the use proposed. Recommended conditions have been incorporated into the Conditions of Approval.

EVIDENCE: Spreckels Neighborhood Design Review Committee unanimously recommended approval on June 15, 2005.

EVIDENCE: Application materials in project file PLN050241.

THEREFORE, it is the decision of said Planning Commission that said application for a Use Permit be granted as shown on the attached sketch, and subject to the attached conditions.

PASSED AND ADOPTED this 14th day of December, 2005, by the following vote:

AYES: Errea, Hawkins, Padilla, Vandever, Rochester, Diehl, Sanchez, Salazar, Wilnot
NOES: Parsons
ABSENT: None


DALE ELLIS, SECRETARY

COPY OF THIS DECISION WAS MAILED TO THE APPLICANT ON **DEC 20 2005**

IF ANYONE WISHES TO APPEAL THIS DECISION, AN APPEAL FORM MUST BE COMPLETED AND SUBMITTED TO THE CLERK OF THE BOARD OF SUPERVISORS ALONG WITH THE APPROPRIATE FILING FEE ON OR BEFORE **DEC 30 2005**

This decision, if this is the final administrative decision, is subject to judicial review pursuant to California Code of Civil Procedure Sections 1094.5 and 1094.6. Any Petition for Writ of Mandate must be filed with the Court no later than the 90th day following the date on which this decision becomes final.

NOTES

1. You will need a building permit and must comply with the Monterey County Building Ordinance in every respect.

Additionally, the Zoning Ordinance provides that no building permit shall be issued, nor any use conducted, otherwise than in accordance with the conditions and terms of the permit granted or until ten days after the mailing of notice of the granting of the permit by the appropriate authority, or after granting of the permit by the Board of Supervisors in the event of appeal.

Do not start any construction or occupy any building until you have obtained the necessary permits and use clearances from the Monterey County Planning and Building Inspection Department office in Salinas.

2. This permit expires two years after the above date of granting thereof unless construction or use is started within this period.

**Monterey County Planning and Building Inspection
Condition Compliance and/or Mitigation Monitoring
Reporting Plan**

Project Name: Timothy & Wendy Riley

File No: PLN050241

APN: 177-031-014-000

Approval by: Planning Commission

Date: December 14, 2005

**Monitoring or Reporting refers to projects with an EIR or adopted Mitigated Negative Declaration per Section 21081.6 of the Public Resources Code.*

| Permit Cond. Number | Mitig. Number | Conditions of Approval and/or Mitigation Measures and Responsible Land Use Department | Compliance or Monitoring Actions to be performed. Where applicable, a certified professional is required for action to be accepted. | Responsible Party for Compliance | Timing | Verification of Compliance (name/date) |
|---------------------------|------------------|---|--|--|---|---|
| 1 | | PBD029 - SPECIFIC USES ONLY This Use Permit (PLN050241) allows partial demolition and construction of a 600 sq. ft. second story and 291 sq. ft. addition to a 1,376 sq. ft. single-family dwelling and design approval; and Design Approval in the "HR" (Historic Resources) Zoning District. The property is located at 15 Third Street, Spreckels, in the Spreckels Historic District (Assessor's Parcel Number 177-031-014-000), in the Greater Salinas Area Plan. This permit was approved in accordance with County ordinances and land use regulations subject to the following terms and conditions. Neither the uses nor the construction allowed by this permit shall commence unless and until all of the conditions of this permit are met to the satisfaction of the Director of Planning and Building Inspection. Any use or construction not in substantial conformance with the terms and conditions of this permit is a violation of County regulations and may result in modification or revocation of this permit and subsequent legal action. No use or construction other than that specified by this permit is allowed unless additional permits are approved by the appropriate authorities. (Planning and Building Inspection) | Adhere to conditions and uses specified in the permit. | Owner/ Applicant | Ongoing unless other-wise stated | |
| 2 | | PBD025 - NOTICE-PERMIT APPROVAL The applicant shall record a notice which states: "A permit (Resolution 05067) was approved by the Planning Commission for Assessor's Parcel Number 177-031-014-000 on December 14, 2005. The permit was granted | Proof of recordation of this notice shall be furnished to PBI. | Owner/ Applicant | Prior to Issuance of grading and building | |

| <i>Permit Cond. Number</i> | <i>Mitig. Number</i> | <i>Conditions of Approval and/or Mitigation Measures and Responsible Land Use Department</i> | <i>Compliance or Monitoring Actions to be performed. Where applicable, a certified professional is required for action to be accepted.</i> | <i>Responsible Party for Compliance</i> | <i>Timing</i> | <i>Verification of Compliance (name/date)</i> |
|------------------------------------|--------------------------|--|---|---|--|---|
| | | subject to 8 conditions of approval which run with the land. A copy of the permit is on file with the Monterey County Planning and Building Inspection Department." Proof of recordation of this notice shall be furnished to the Director of Planning and Building Inspection prior to issuance of building permits or commencement of the use. (Planning and Building Inspection) | | | permits or start of use. | |
| 3 | | PBD030 - STOP WORK - RESOURCES FOUND If, during the course of construction, cultural, archaeological, historical or paleontological resources are uncovered at the site (surface or subsurface resources) work shall be halted immediately within 50 meters (165 feet) of the find until a qualified professional archaeologist can evaluate it. The Monterey County Planning and Building Inspection Department and a qualified archaeologist (i.e., an archaeologist registered with the Society of Professional Archaeologists) shall be immediately contacted by the responsible individual present on-site. When contacted, the project planner and the archaeologist shall immediately visit the site to determine the extent of the resources and to develop proper mitigation measures required for the discovery. (Planning and Building Inspection) | Stop work within 50 meters (165 feet) of uncovered resource and contact the Monterey County Planning and Building Inspection Department and a qualified archaeologist immediately if cultural, archaeological, historical or paleontological resources are uncovered. When contacted, the project planner and the archaeologist shall immediately visit the site to determine the extent of the resources and to develop proper mitigation measures required for the discovery. | Owner/ Applicant/ Archaeologist | Ongoing | |
| 4 | | WR40 WATER CONSERVATION MEASURES The applicant shall comply with Ordinance No. 3932, or as subsequently amended, of the Monterey County Water Resources Agency pertaining to mandatory water conservation regulations. The regulations for new construction require, but are not limited to: a. All toilets shall be ultra-low flush toilets with a maximum tank size or flush capacity of 1.6 gallons, all shower heads shall have a maximum flow capacity of 2.5 gallons per minute, and all hot water faucets that have more than ten feet of pipe between the faucet and the hot water heater serving such faucet shall be equipped with a hot water recirculating system. b. Landscape plans shall apply xeriscape principles, | Compliance to be verified by building inspector at final inspection. | Owner/ Applicant | Prior to final building inspection/occupancy | Compliance verified by building inspector at final inspection |

| <i>Permit Cond. Number</i> | <i>Mitig. Number</i> | <i>Conditions of Approval and/or Mitigation Measures and Responsible Land Use Department</i> | <i>Compliance or Monitoring Actions to be performed. Where applicable, a certified professional is required for action to be accepted.</i> | <i>Responsible Party for Compliance</i> | <i>Timing</i> | <i>Verification of Compliance (name/date)</i> |
|------------------------------------|--------------------------|--|--|---|--|---|
| | | including such techniques and materials as native or low water use plants and low precipitation sprinkler heads, bubblers, drip irrigation systems and timing devices. (Water Resources Agency) | | | | |
| 5 | | FIRE007 - DRIVEWAYS Driveways shall not be less than 12 feet wide unobstructed, with an unobstructed vertical clearance of not less than 15 feet. The grade for all driveways shall not exceed 15 percent. Where the grade exceeds 8 percent, a minimum structural roadway surface of 0.17 feet of asphaltic concrete on 0.34 feet of aggregate base shall be required. The driveway surface shall be capable of supporting the imposed load of fire apparatus (22 tons), and be accessible by conventional-drive vehicles, including sedans. For driveways with turns 90 degrees and less, the minimum horizontal inside radius of curvature shall be 25 feet. For driveways with turns greater than 90 degrees, the minimum horizontal inside radius curvature shall be 28 feet. For all driveway turns, an additional surface of 4 feet shall be added. All driveways exceeding 150 feet in length, but less than 800 feet in length, shall provide a turnout near the midpoint of the driveway. Where the driveway exceeds 800 feet, turnouts shall be provided at no greater than 400-foot intervals. Turnouts shall be a minimum of 12 feet wide and 30 feet long with a minimum of 25-foot taper at both ends. Turnarounds shall be required on driveways in excess of 150 feet of surface length and shall long with a minimum 25-foot taper at both ends. Turnarounds shall be required on driveways in excess of 150 feet of surface length and shall be located within 50 feet of the primary building. The minimum turning radius for a turnaround shall be 40 feet from the center line of the driveway. If a hammerhead/T is used, the top of the "T" shall be a minimum of 60 feet in length. | Applicant shall incorporate specification into design and enumerate as "Fire Dept. Notes" on plans. | Applicant or owner | Prior to issuance of grading and/or building permit. | |

| <i>Permit Cond. Number</i> | <i>Mitig. Number</i> | <i>Conditions of Approval and/or Mitigation Measures and Responsible Land Use Department</i> | <i>Compliance or Monitoring Actions to be performed. Where applicable, a certified professional is required for action to be accepted.</i> | <i>Responsible Party for Compliance</i> | <i>Timing</i> | <i>Verification of Compliance (name/date)</i> |
|------------------------------------|--------------------------|---|--|---|---------------------------------------|---|
| | | (Salinas Rural Fire District) | | | | |
| 6 | | FIRE011 - ADDRESSES FOR BUILDINGS All buildings shall be issued an address in accordance with Monterey County Ordinance No. 1241. Each occupancy, except accessory buildings, shall have its own permanently posted address. When multiple occupancies exist within a single building, each individual occupancy shall be separately identified by its own address. Letters, numbers and symbols for addresses shall be a minimum of 4-inch height, 1/2-inch stroke, contrasting with the background color of the sign, and shall be Arabic. The sign and numbers shall be reflective and made of a noncombustible material. Address signs shall be placed at each driveway entrance and at each driveway split. Address signs shall be and visible from both directions of travel along the road. In all cases, the address shall be posted at the beginning of construction and shall be maintained thereafter. Address signs along one-way roads shall be visible from both directions of travel. Where multiple addresses are required at a single driveway, they shall be mounted on a single sign. Where a roadway provides access solely to a single commercial occupancy, the address sign shall be placed at the nearest road intersection providing access to that site. Permanent address numbers shall be posted prior to requesting final clearance. (Salinas Rural Fire District) | Applicant shall schedule fire dept. clearance inspection | Applicant or owner | Prior to final building inspection. | |
| 7 | | FIRE026 - ROOF CONSTRUCTION (STANDARD) All new structures, and all existing structures receiving new roofing over 50 percent or more of the existing roof surface within a one-year period, shall require a minimum of ICBO Class B roof construction. (Salinas | Applicant shall enumerate as "Fire Dept. Notes" on plans. | Applicant or owner | Prior to issuance of building permit. | |

| <i>Permit Cond. Number</i> | <i>Mitig. Number</i> | <i>Conditions of Approval and/or Mitigation Measures and Responsible Land Use Department</i> | <i>Compliance or Monitoring Actions to be performed. Where applicable, a certified professional is required for action to be accepted.</i> | <i>Responsible Party for Compliance</i> | <i>Timing</i> | <i>Verification of Compliance (name/date)</i> |
|------------------------------------|--------------------------|---|--|---|---------------------------------------|---|
| | | Rural Fire District) | | | | |
| 8 | | FIRE SPRINKLER SYSTEM IN EXISTING BUILDING (NONSTANDARD) The existing and new portions of the building shall be fully protected with an automatic fire sprinkler system. Installation, approval and maintenance shall be in compliance with applicable National Fire Protection Association and/or Uniform Building Code Standards, the editions of which shall be determined by the enforcing jurisdiction. Four (4) sets of plans for sprinkler systems must be submitted and approved prior to installation. Rough-in inspections must be completed prior to requesting a framing inspection. (Saliuas Rural Fire District) | Applicant shall enumerate as "Fire Dept. Notes" on plans. | Applicant or owner | Prior to issuance of building permit. | |

END OF CONDITIONS

